

Parts catalog for Waukesha engines
Diesel engines made by Waukesha
Choose by size (in cubic inches)

SizeCylFuelRemarks

129

144

155

194

216

220

231

232

265

283

302

310

330

[4DSL180DAB > 3.3125" Bore, 2.000" Std Rod Journal](#)
[4DSL180DAB > 3.500" Overbore, 2.000" Std Rod Journal](#)
[4DSL180DLB > Bosch Pump, 3.500" Bore, 2.250" Std Rod Journal](#)

[4DSL180DKB > Roosa-Master Pump, 3.625" Bore](#)
[4DSLVRD155 > \(No Special Remarks\)](#)

[6DSL185DAB > 3.3125" Bore, 2.000" Std Rod Journal](#)
[6DSL185DAB > 3.500" Overbore, 2.000" Std Rod Journal](#)

[6DSL185DLB > 3.500" Bore, 2.250" Std Rod Journal](#)

[4DSLVRD220 > Naturally Aspirated](#)
[4DSLVRD220S > Turbocharged](#)

[6DSL190DSB > 3.500" Bore, 2.250" Std Rod Journal](#)

[6DSL232DL > 3.625" Bore](#)
[6DSL190DSB > 3.750" Overbore, 2.250" Std Rod Journal](#)
[6DSL190DLB > Bosch Pump, 3.750" Bore, 2.437" Std Rod Journal](#)
[6DSL190DLB > Roosa-Master Pump, 3.750" Bore, 2.437" Std Rod Journal](#)
[6DSL265DL > 3.750" Bore](#)

[6DSL283DL > Wide Main Bearings, Indirect Injection](#)
[6DSL283DB > Indirect Injection](#)
[6DSL283DLA > Direct Injected](#)
[6DSLVRD283 > Direct Injection, Natural Aspirated](#)

[6DSL195DLB > 4.000" Bore, Dry Liners](#)
[6DSL310DL > Indirect Injection](#)
[6DSL310DB > See Equipment Application, Direct Injection, Natural Aspirated](#)
[6DSL310DB > See Equipment Application, Direct Injection, Natural Aspirated](#)
[6DSL310DBLT > Turbocharged](#)

[6DSLVRD310 > Direct Injection, Natural Aspirated](#)

[6DSLVRD330 > Naturally Aspirated](#)

[6DSLVRD330S / VRD330TA > Turbocharged](#)

WAUKESHA DIESEL GAS ENGINE PARTS

CIP Engine Parts 713 864 7084 Fax 713 864 5190

Parts catalog for Waukesha engines
Diesel engines made by Waukesha
Choose by size (in cubic inches)

CYL FUEL /COMMENTS

129	4DSL180DAB > 3.3125" Bore, 2.000" Std Rod Journal
144	4DSL180DAB > 3.500" Overbore, 2.000" Std Rod Journal 4DSL180DLB > Bosch Pump, 3.500" Bore, 2.250" Std Rod Journal
155	4DSL180DKB > Roosa-Master Pump, 3.625" Bore 4DSLVRD155 > (No Special Remarks)
194	6DSL185DAB > 3.3125" Bore, 2.000" Std Rod Journal
216	6DSL185DAB > 3.500" Overbore, 2.000" Std Rod Journal 6DSL185DLB > 3.500" Bore, 2.250" Std Rod Journal
220	4DSLVRD220 > Naturally Aspirated 4DSLVRD220S > Turbocharged
231	6DSL190DSB > 3.500" Bore, 2.250" Std Rod Journal
232	6DSL232DL > 3.625" Bore
265	6DSL190DSB > 3.750" Overbore, 2.250" Std Rod Journal 6DSL190DLB > Bosch Pump, 3.750" Bore, 2.437" Std Rod Journal 6DSL190DLB > Roosa-Master Pump, 3.750" Bore, 2.437" Std Rod Journal 6DSL265DL > 3.750" Bore
283	6DSL283DL > Wide Main Bearings, Indirect Injection 6DSL283DB > Indirect Injection 6DSL283DLA > Direct Injected 6DSLVRD283 > Direct Injection, Natural Aspirated
302	6DSL195DLB > 4.000" Bore, Dry Liners
310	6DSL310DL > Indirect Injection 6DSL310DB > See Equipment Application, Direct Injection, Natural Aspirated 6DSL310DB > See Equipment Application, Direct Injection, Natural Aspirated 6DSL310DBLT > Turbocharged 6DSLVRD310 > Direct Injection, Natural Aspirated
330	6DSLVRD330 > Naturally Aspirated 6DSLVRD330S / VRD330TA > Turbocharged